



TECHNICAL DATA SHEET

ANTIBACTERIAL THERMAL MATT 27 MICRON

Product Description

Bi-axially Oriented Polypropylene Film (BOPP) - Extrusion coated thermal lamination film with **ANTIBACTERIAL** properties and **MATT** finish - Both side Corona treated - Low melt adhesive coating inside - Excellent natural matt finish and good resistance to elongation and tear

| Typical Properties | | | | | |
|---|-------------------------------|-----|----------------------|-----------------|---------|
| Graphic Image Films Antibacterial Thermal Matt | Property | | Unit | Test Method | Value |
| | Thickness | | (µm) | ASTM E 252 | 27 |
| | Yield | | m ² /kg . | ASTM D 4321 | 42,7 |
| | Unit Weight | | g/m ² | | 23,4 |
| | Gloss | B | % | ASTM D 2457 60° | 10 |
| | Haze | B | % | ASTM 1003 | 90 |
| | Wetting Tension | B | Dynes/cm | ASTM D 2578 | 40 |
| | | A | | | 45 |
| | C.O.F Film/Film (Static) | B/B | | ASTM D 1894 | 0,20 |
| | Application Temperature | A | °C | | 100-110 |
| | A: Adhesive Side B: Matt Side | | | | |

Disclaimer - The above information is indicative only. The results shown are a general guide to the material properties which are subject to change and do not act as a guarantee.

Graphic **Image** Films Ltd.
 Unit 5, Ridge Way, Crendon Industrial Park,
 Long Crendon, Bucks, HP18 9BF.
T: 01844 208308, **F:** 01844 208608
Email: info.gif@graphicimagefilms.co.uk
www.graphicimagefilms.co.uk